



The WAGO USB Communication Cable connects a PC (notebook) to both the service interface of the 857 Series Signal Conditioners and the configuration interface of WAGO's I/O fieldbus couplers/controllers.

Notice!

Using the WAGO 759-923 USB Communication Cable in combination with select programmable fieldbus controllers

requires the specific firmware versions listed below:

750-841: Firmware Version 12 (or higher)

750-872/0020-0000: Firmware Version 2 (or higher)

Technical data

Connection type	4-pole male connector - USB A-type plug
Pole number	4
Cable length	5 m
Supported operating systems	Windows XP (SP3 or higher) Windows 7

Physical data

Width	15 mm / 0.591 inches
Height	50 mm / 1.97 inches
Depth	19 mm / 0.748 inches

Mechanical data

Weight	114.3 g
--------	---------

Environmental requirements

Ambient temperature (operation)	-25 ... +70 °C
Protection type	IP20
EMC immunity to interference	per EN 61000-4-3, EN 61000-4-6
EMC emission of interference	per EN 55022
Fire load	0 MJ

Commercial data	
Product Group	15 (Remote I/O)
eCl@ss 10.0	27-24-22-20
eCl@ss 9.0	27-24-22-20
ETIM 8.0	EC000237
ETIM 7.0	EC000237
PU (SPU)	1 Stück
Packaging type	Bag
Country of origin VKOrg Germany	DE
GTIN	4045454765200
Customs tariff number VKOrg Germany	85444290900

Downloads

Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 750-923/000-001	↓

Documentation

Manual			
System Manual WAGO I/O System 750 / 753	V 3.1.0 11.05.2022	pdf 8495.90 KB	↓

System Description			
750/753 Series I/O-System – General Product Information		pdf 953.35 KB	↓

Tutorial			
Set IP address with Ethernet Settings	3.0 18.12.2017	mp4 86272.82 KB	↓


Bid Text			
750-923/000-001	19.02.2019	xml 3.96 KB	↓
750-923/000-001	26.06.2019	docx 14.68 KB	↓

CAD/CAE-Data

CAE data	
EPLAN Data Portal 750-923/000-001	↓
WSCAD Universe 750-923/000-001	↓

Device Files

Device Driver

WAGO USB Service Kabel Treiber / Serie 750 und 857	6.5.3.0 10.09.2014	zip 4721.96 KB	
--	-----------------------	-------------------	---