11 2783

11 2891

Cross-key

with $4 \times 1/4$ " holder. Arms round (9 mm ø). With long chain and screwdriver bit 7 mm.

Sockets

Sockets				
for Multi-Key system				
Square socket	6	1	11 2784	
	7	1	11 2785	
	8	1	11 2786	
	10	1	11 2787	
Triangular socket	7	1	11 2788	
	8	1	11 2790	
	9	1	11 2791	
	10	1	11 2792	
Square drive bit	6 - 10	1	11 2795	
-O- Two-way key bit	3	1	11 2793	
	5	1	11 2794	
O Half-moon		1	11 2797	
ODB standard		1	11 2796	



Switch cabinet key made of die-cast zinc

for all common switch cabinets. Small dimensions, low weight.

With an adapter for 1/4" bits, with square key for radiator bleed valves and reversible bit for:

	 6 mm 3 - 5 mm 	0 5 mm			
Universal switch cabinet key			1	11 2894	

Switch cabinet key case	1	11 2898

Switch cabinet key "Mini"

SuBMaster

for all common switch cabinets, sub-distributions, street lamps, etc. Eight different wrenches can be brought into position by means of a double turning mechanism. An attached 5.0 mm square is especially suitable for ventilating heaters. With adapter for 1/4" bits, designed with karabiner chain.

Magnetic plug connection for 9 - 10 mm square. Weight 200 g

0	Ο	0	0	0	0		Ф	0
5 mm	6 mm	7-8 mm	9-10 mm	7 mm	8-9 mm	10-11 mm	3-5 mm	6 mm
96 x 92						1	11 2992	

Total length mm

SuBMaster BAU

Blade size (W x H x L mm)

Universal key for all locks with cylinder bore, also for all common technical tips. With a quadruple turning mechanism, eight different switch cabinet locking mechanisms can be moved into position. Additionally with 5 mm square on the body. The incremental squares are attached magnetically with the SuBMaster and are easy to release. With stable chain and snap hook. Ο O 0 3-5 mm 5 mm 6 mm 7-8 mm 9-10 mm 7 mm 8-9 mm 10-11 mm 6 mm 5-9 mm

1



C

imco

11 2990

Article no