

- 2 x ETHERNET interface for connecting to field devices and IT networks
- 4 x USB interface for optional connection of a USB stick, mouse or keyboard
- HDMI and display port interfaces for connecting a display

Technical data

ETHERNET protocols	HTTP HTTPS SSH SCP SFTP DHCP DNS
Visualization	Web server
Operating system	Debian Linux; optional ctrlX OS pending
Processor	Intel® Atom E3845 Quad-Core 1.91 GHz
Security-Modul	TPM 2.0 chip
Main memory (RAM)	4 GB; DDR.3L 1333 MHz
Internal memory (flash)	64 GB; mSATA SSD
Interfaces	1 x DisplayPort 1.2, 2560 x 1440p; 1 x HDMI v1.4, 1920 x 1080p @60Hz; Intel® HD Graphics
Indicators	3 x LED
Supply voltage	24 VDC (10 ... 36 V)
Input current (typ.) at nominal load (24 V)	1250 mA
Input current (max.) (24 V)	1750 mA
Operating power	30 W (typ.); 42 W (max.)

Connection data

Connection technology: communication/fieldbus 2 x RJ-45 1000BASE-T; 3 x USB 2.0 (type A); 1 x USB 3.0 (type A)

Physical data

Width 40 mm / 1.575 inches
 Height 150 mm / 5.906 inches
 Depth 105 mm / 4.134 inches

Mechanical data

Weight 1309 g
 Housing material Aluminum, powder-coated

Environmental requirements

Ambient temperature (operation) -20 ... +60 °C
 Ambient temperature (storage) -40 ... +85 °C
 Protection type IP40
 Relative humidity (without condensation) 95 %
 Mounting type DIN-35 rail
 Fire load 0 MJ

Commercial data

ETIM 9.0 EC001413
 ETIM 8.0 EC001413
 PU (SPU) 1 pcs
 Packaging type Box
 Country of origin TW
 GTIN 4066966108279
 Customs tariff number 8471500000

Environmental Product Compliance

RoHS Compliance Status Compliant, No Exemption

Approvals / Certificates

General approvals



Approval	Standard	Certificate Name
KC National Radio Research Agency	Article 58-2, Clause 3	R-R-W43-EGPC752
UL Underwriters Laboratories Inc.	UL 62368-1	E482462

Declarations of conformity and manufacturer's declarations

Approval	Standard	Certificate Name
EU-Declaration of Confor- mity WAGO GmbH & Co. KG	-	-

Downloads

Environmental Product Compliance


Compliance Search

Environmental Product Compliance 752-9400



Documentation

Manual

Product Manual WAGO Edge Computer	V 1.3.0 24.11.2022	pdf 1293.04 KB	
-----------------------------------	-----------------------	-------------------	---

System Description

Edge Computing; General Product Information	pdf 219.09 KB	
---	------------------	---

CAD/CAE-Data

CAD data

2D/3D Models
752-9400



CAE data

EPLAN Data Portal
752-9400




ZUKEN Portal
752-9400



Runtime Software

Firmware

0752-94xx, Edge Computer	V 03 04.10.2022	zip 924213.31 KB	
--------------------------	--------------------	---------------------	---