



EPIC® H-B 16 TGH

Housing design H-B. The industry standard.



Info

- Non-slip ridges for comfortable disconnecting
- More interior space for wiring

EPIC® H-B 16 TGH 2X

Housing design H-B. The industry standard.



Info

- Non-slip ridges for comfortable disconnecting
- More interior space for wiring
- For easy introduction of two cables

Benefits

- The housing standard. Wide choice for all applications

Application range

- Plant engineering
- Light & sound technology
- Plastics industry

Product features

EPIC® H-B 16 TGH

- Hood, high version
- Bolts for double lever
- Straight cable entry
- Versions with / without neck

EPIC® H-B 16 TGH 2X

- Hood, high version
- Bolts for double lever
- 2 straight cable entries
- Versions without neck

Suitable inserts

- Refer to Selection Table A10 to select the required inserts and housings

Technical data

ETIM ETIM 5.0 Class-ID: EC000437
ETIM 5.0 Class-Description:
Housing for industrial connectors

Material
Housing: powder-coated aluminium alloy, grey
Lever: zinc-plated steel
Sealing: NBR

IP **Protection rating**
IP 65 (latched)

DIN VDE Certified production control:
VDE-REG. no.: B437
UL-tested:
UL File Number: E75770

Temperature range
-40°C to +100°C,
short-term up to +125°C

Article number	Article description	M	PG	Neck	Pieces / PU
H-B housing: hood (straight cable entry, bolts for double lever, high version)					
70100200	H-B 16 TGH 21		21	yes	5
70100400	H-B 16 TGH 29		29	yes	5
79100200	H-B 16 TGH M25	25			5
79100400	H-B 16 TGH M32	32			5
79100800	H-B 16 TGH M40	40			5
H-B housing: hood (2 straight cable entries, bolts for double lever, high version)					
44422018	H-B 16 TGH 2XM25	2 x 25			5
79128600	H-B 16 TGH 2XM32	2 x 32			5

Photographs are not to scale and do not represent detailed images of the respective products.

Accessories

- SKINTOP® MS-M
- SKINTOP® for industrial connectors
- Easy to install